


**FIG. 152**  
**RETURN LINE ANGLE**



**Material:** Carbon steel.

**Finish:** Plain.

**Service:** Designed to enable the field mechanic to obtain different distances from wall to center of pipe line by turning the angle to distance required. They are made in light and heavy material and will support pipes 2, 3 or 4 inches from wall to center of pipe.

**Approvals:** Complies with Federal Specifications WW-H-171-E (Type# 21), A-A-1192 A (Type# 21), and MSS SP-58 and SP-69 (Type# 21).

**Ordering:** Specify size number, figure number and finish.

SIZE NO.	MATERIAL	A	B	C	D	G	WGT EACH (lbs)	MAX REC LOAD (lbs)
1	4ga	3 <sup>13</sup> / <sub>16</sub>	2 <sup>13</sup> / <sub>16</sub>	2	3	<sup>9</sup> / <sub>16</sub>	0.425	180
2	4ga	4 <sup>13</sup> / <sub>16</sub>	3 <sup>13</sup> / <sub>16</sub>	3	4	<sup>9</sup> / <sub>16</sub>	0.585	180
3	<sup>3</sup> / <sub>8</sub>	3 <sup>7</sup> / <sub>8</sub>	2 <sup>7</sup> / <sub>8</sub>	2	3	<sup>9</sup> / <sub>16</sub>	0.870	390
4	<sup>3</sup> / <sub>8</sub>	4 <sup>7</sup> / <sub>8</sub>	3 <sup>7</sup> / <sub>8</sub>	3	4	<sup>9</sup> / <sub>16</sub>	1.175	390
5	4ga	6 <sup>15</sup> / <sub>16</sub>	4 <sup>15</sup> / <sub>16</sub>	4	6	<sup>9</sup> / <sub>16</sub>	0.825	180
6	<sup>3</sup> / <sub>8</sub>	6 <sup>15</sup> / <sub>16</sub>	4 <sup>15</sup> / <sub>16</sub>	4	6	<sup>9</sup> / <sub>16</sub>	1.650	190